

SUPPLEMENT TO

The Gazette



of India

No. 40]

NEW DELHI, SATURDAY, OCTOBER 1, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd, September, 1955

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) & PART (C)																Assam															
Ajmer																Cachar	7	4					
																Goalpara	2					
																Kamrup	18	7					
TOTAL																27	11						
(Estd. mid-year pop. 741 thousands.)																(Estd. mid-year pop. 9,672 thousands.)															
Total for w/e 27-8-55																70	40						
Total for w/e 20-8-55																23	14						
7-yearly mean for the week																18	10	1.	1						
Andhra																Bhopal															
Srikakulam																1	..	2						
Visakhapatnam																.	.	.	5	1	2						
Godavari East																16	4						
Godavari West																1						
Krishna																4	2						
Guntur																6	1						
Nellore																					
Kurnool																.	.	.	15	12	3						
Guddapah																					
Anantapur																					
Chittoor																1						
TOTAL																.	.	.	20	13	31	8	1						
(Estd. mid-year pop. 21,013 thousands.)																(Estd. mid-year pop. 862 thousands.)															
Total for w/e 27-8-55																.	.	.	25	9						
Total for w/e 20-8-55																.	.	.	26	8						
7-yearly mean for the week																.	.	.	344	173	91	17						
Bihar																Bihar															
																Patna	141	53	2	2					
																Gaya	48	13	2	2					
																Shahabad	8	6	2	1					
																Saran	4					
																Muzaffarpur	22	11					
																Monghyr	16	4					
																Bhagalpur	6	2					
																Purnea	2					

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd September, 1955—*contd.*

Bihar—Contd.								Coorg—Contd.							

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd September, 1955—concl'd.

POLIOMYELITIS	Place	Period	Cases
(Information based on patients treated in hospitals in important towns)	Punjab State	16—31 August, 1955	16 (Paralytic)

New DELHI-2 (INDIA) ;
The 26th September, 1955

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's {

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajtmer													
"N. R."													
Andhra													
Adoni	61	62	52·9	1	2	..	16	13·6	3
Anantpur †													
Anakapalli	45	41	47·3	4	3	1	17	19·6	5
Bhimavaram	35	29	43·1	2	12	17·8	1
Chirala	42	27	33·4	4	1	..	15	18·5	3
Chittoor	44	58	68·4	3	14	16·5	4
Cuddapah	41	47	60·6	1	5	6·7	1
Eluru †													
Gudivada	35	40	59·5	2	9	13·4	2
Guntur †													
Guntakal	36	21	30·2	1	2	8	11·5	..
Kakinada	111	49	22·9	6	..	1	..	31	14·5	13
Kurnool †													
Masulipatnam	86	52	31·4	5	..	1	..	12	7·2	1
Nandyal	37	37	52·0	5	2	19	26·7	9
Nellore	92	96	54·0	5	2	2	3	50	28·1	17
Proddatur †													
Rajahmundry	119	117	51·1	4	..	4	..	28	12·2	7
Tenali	65	36	28·8	2	2	11	8·8	3
Vijayavada	194	136	36·7	7	7	8	3	75	20·3	18
Visakhapatnam	124	107	42·1	6	3	8	1	46	19·4	9
Vizianagaram	74	63	44·2	1	4	..	18	12·6	4
TOTAL	1,241	1018	42·7	41	36	34	8	386	16·2	100
Assam													
Shillong †													
Gauhati †													
Dibrugarh	44	1	1·2	1	1	1·2	..
Silchar	42	21	26·1	4	7	8·7	1
TOTAL	86	22	13·3	5	8	4·8	1
Bhopal													
Bhopal City	114	67	30·6	1	1	7	3·2	..
Bihar													
Arrah †													
Bihaar	67	25	19·4	2	3	2·3	..
Bettiah	38	10	13·7	4	15	20·5	..
Bhagalpur †													
Chapra	68	38	29·1	15	11·5	3
Darbhanga	92	27	15·3	3	1	7	4·0	..
Dhanbad	40	13	16·9	1	6	7·8	..
Dinapur	44	5	5·9	2	1	2	6	7·1	..
Gaya	146	51	18·2	..	2	..	22	3	12	..	66	23·5	..
Hazaribagh	38	3	4·1	5	6·8	..
Jamalpur	46	6	6·8
Jamshedpur	241	120	25·9	1	2	6	..	20	4·3	4
Katihar	49	1	1·1	..
Monghyr †													
Muzaffarpur	82	6	3·8	2	10	6·3	..
Patna	321	187	30·3	..	2	..	13	4	3	..	77	12·5	..
Purulia	46	9	10·2	2	3	3·4	..
Ranchi	126	25	10·3	6	1	10	4·1	..
TOTAL	1,444	525	18·9	2	4	..	57	10	21	3	244	8·8	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay													
Ahmedabad	870	942	56.3	..	I	..	10	26	83	I	330	19.7	123
Ahmednagar	87	97	58.0	9	2	2	I	36	21.5	12
Amalner	49	41	43.5	8	10	10.6	13
Bagalkot	36	22	31.7	2	I	11	15.8	2
Baroda	237	225	49.5	18	9	9	..	73	16.0	22
Barsi	45	40	46.2	9	20	23.1	7
Belgaum	109	62	29.5	6	3	5	..	37	17.6	8
Bhusawal	61	47	40.0	9	I	I	..	11	9.3	3
Bijapur	73	42	29.9	I	..	3	..	9	6.4	2
Broach	66	50	39.3	9	..	I	..	15	11.8	3
Cambay	41	52	66.4	6	7.6	I
Chalisgaon	34	35	53.5	8	I	14	21.4	6
Dharwar	75	42	29.9	3	2	2	..	15	6.6	I
Dhulla	87	79	47.2	9	I	3	2	30	17.9	5
Godag Betegeri	70	69	50.1	4	..	I	..	16	11.8	3
Godra	40	38	49.4	4	..	2	..	9	11.7	2
Greater Bombay	3,335	1,800	28.1	..	I	..	I	41	142	I	690	10.8	229
Hubli	144	54	19.4	2	2	2	..	15	5.4	2
Jalgaon	77	113	76.3	11	I	17	11.5	7
Kalyan	70	32	23.7	2	I	4	..	17	12.6	..
Kolhapur	155	122	40.9	5	3	6	..	31	10.4	10
Malegaon	62	30	25.1	9	I	I	..	19	15.9	11
Miraj	44	31	36.6	2	12	14.2	4
Nadiad	70	69	51.3	8	16	11.9	4
Naridurbar	34	32	48.9	I	I	7	10.7	3
Nasik	115	54	24.3	3	8	8	..	50	22.6	11
Nav Sari	49	40	42.3	4	..	I	..	10	10.6	4
Pandharpur	44	49	57.9	4	2	7	I	23	27.1	11
Patan	46	50	56.5	2	I	..	15	16.6	2
Poonaf													
Sangli	57	25	22.8	I	..	3	..	14	12.7	3
Satara	40	24	31.2	7	..	16	20.8	7
Sholapur	293	290	51.4	26	15	44	..	149	26.4	40
Surat	245	253	53.6	11	6	22	I	126	26.7	52
Thana†													
TOTAL	6,860	4,951	37.5	..	2	..	197	130	360	8	1,869	14.2	613
Delhi State													
Delhi City	1,085	961	46.1	62	16	28	..	189	9.1	64
New Delhi	355	152	22.3	5	..	2	I	75	10.9	11
N.A.C. Civil Station, Delhi	111	99	46.4	2	2	5	..	20	9.4	11
Delhi Cantt.	49	19	20.2	I	2	2.1	I
Delhi-Shahdra	51	64	65.3	3	2	8	8.1	2
TOTAL	1,651	1,295	40.8	73	20	35	I	294	9.3	89
Madhya Pradesh													
"N.R."													
Madras													
w/o 1-1-55													
Ambur	44	27	31.9	2	..	I	..	8	9.5	2
Aruppukottai	54	40	38.5	3	2	3	..	18	17.3	3
Bedinayakanur	39	21	28.0	I	..	I	I	6	8.0	3
Cannanore	46	27	30.5	5	..	16	18.1	3
Chidambaram	38	22	30.1	2	..	10	13.7	3
Coimbatore	227	208	47.6	I	15	18	2	93	21.3	24
Cuddalore	73	44	31.3	3	3	8	2	27	19.2	17
Dindigul	88	83	49.0	3	2	..	I	20	11.8	6
Erode	65	73	58.4	3	I	..	11	8.8	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; "N.R."=Information not received ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955—*concl'd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Gobichetty	37	25	35.1	2	..	2	2.8	..
Palayam
Guddiyattam	51	31	31.6	2	..	3	..	7	7.1	2
Kancheepuram	89	107	62.5	1	3	17	..	37	21.6	13
Karaikudi	43	22	26.6	2	1	8	9.7	2
Karur	48	13	14.1	3	..	9	9.8	2
Kozhikode	173	125	37.6	4	1	6	..	46	13.8	9
Kumbakonam	102	77	39.3	1	21	10.7	5
Madras	1,649	1232	38.8	..	1	..	56	83	158	4	617	19.5	211
Mangalore	133	70	27.4	1	2	..	24	9.4	6
Mathurai	415	322	40.3	5	18	36	2	134	16.8	23
Mayuram	48	38	41.2	9	9.7	3
Melapalayam	40	12	15.6	1	..	2	..	6	7.8	2
Nagapattinam	60	60	52.0	4	..	3	..	18	15.6	4
Ottacamund	46	47	53.1	2	..	4	..	11	12.4	3
Palany	39	14	18.7	1	..	4	5.3	..
Palayamkottai	44	32	37.8	1	1	13	15.4	4
Palghat	76	23	15.7	2	..	1	..	14	9.6	4
Periyakulam	33	35	55.2	1	1	..	8	12.6	2
Pollachi	49	39	41.4	1	..	10	10.6	3
Pudukottai	49	30	31.8	3	..	2	..	14	14.9	2
Rajapalayam	67	46	35.7	2	2	2	..	17	13.2	6
Salem	234	140	31.1	4	5	11	1	61	13.6	7
Srirangam	41	24	30.4	1	2	1	..	10	12.7	2
Srivilliputtur	43	40	48.4	10	2	3	..	24	29.0	11
Tanjore	115	137	61.9	1	4	..	33	14.9	8
Tellicherry	42	18	22.3	1	2	..	10	12.4	1
Tiruchirappalli	245	183	38.9	1	5	11	1	74	15.7	9
Tirunelveli	79	54	35.5	1	1	5	..	20	13.2	6
Tiruppur	61	50	42.6	3	1	..	13	11.1	2
Tiruvannamalai	44	41	48.5	1	..	4	..	11	13.0	4
Tuticorin	109	88	42.0	4	11	..	30	14.3	10
Vaniyambadi	42	28	34.7	1	1	11	13.6	4
Vellore	121	119	51.1	3	4	9	2	44	18.9	9
Villupuram	39	43	57.3	1	2	..	7	9.3	1
Virudunagar	51	86	87.7	4	1	2	..	16	16.3	2
TOTAL	5,231	3,966	39.7	..	1	..	123	166	350	18	1,602	15.9	442

Orissa

Berhampur	70	65	48.4	3	1	..	1	19	14.2	5
Cuttack	114	126	57.6	6	3	7	..	43	19.7	8
Puri	53	51	50.2	9	1	24	23.6	6
TOTAL	237	242	53.1	18	5	7	1	86	18.9	19

Punjab (I)

Ambala	64	80	65.2	7	2	19	15.5	4
Amritsar	335	267	41.6	..	1	12	32	..	95	14.8	42
Batala	61	59	50.4	10	1	5	..	25	21.4	..
Bhliwani	56	70	65.2	4	1	13	12.1	7
Perozepore	43	44	53.3	2	..	4	..	10	10.9	2
Hissar	38	30	41.2	3	8	11.0	3
Hoshiarpur	50	33	34.4	2	6	2	..	14	14.6	6
Jullundur	194	189	50.8	8	15	..	27	7.3	16
Karnal	69	25	18.9	8	11	8.3	6

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab (I)—contd.														
Ludhiana	172	227	68.8	17	..	2	..	32	9.7	13	
Moga	40	57	74.3	1	..	2	..	6	7.8	3	
Paniput	62	53	44.6	6	19	16.0	10	
Parhan Kot	33	36	56.9	2	1	1	..	5	7.9	..	
Rewari	36	28	40.6	4	6	8.7	..	
Kohtak	102	100	51.1	9	3	1	..	22	11.2	10	
Simla	49	42	41.7	1	5	5.3	1	
Sonipat	33	45	71.1	2	1	8	12.6	7	
TOTAL	1,437	1,385	50.1	..	1	..	77	35	64	1	325	11.8	130	
Uttar Pradesh														
Agra	367	482	68.3	1	10	60	..	154	21.9	53	
Allahabad	342	189	28.8	4	1	29	..	70	10.7	25	
Amroha	60	52	45.2	14	2	3	..	28	24.3	14	
Bahraich	46	38	43.1	2	1	9	10.2	5	
Banaras	375	426	59.1	..	1	..	44	28	17	..	211	29.3	67	
Ballia	34	8	12.3	2	11	16.9	6	
Banda	32	18	29.3	3	..	4	..	9	14.7	3	
Bareilly	201	101	26.2	9	5	7	..	33	8.5	11	
Bijnor	31	19	31.9	1	..	1	..	6	10.1	3	
Budaun	54	47	45.3	10	18	17.4	7	
Basti	41	3	3.8	
Sulandshahr	41	3	3.8	
Chandausi	40	66	85.8	11	4	1	..	26	33.9	13	
Dehra Dun	141	60	22.2	..	2	..	2	..	1	..	22	8.1	3	
Etawah†														
Faizabad-Ayodhya	85	50	30.7	3	1	9	5.5	1	
Farrukhabad-Patchgarh	81	55	35.4	10	3	5	..	28	18.0	9	
Perozabad	76	57	39.1	8	1	17	11.7	5	
Ghazilabad	45	37	42.8	3	7	8.7	4	
Gazipur	36	24	34.8	7	1	1	..	14	20.3	1	
Gorakhpur	137	73	27.8	6	5	3	..	18	6.8	2	
Gonda	34	15	23.0	1	4	67.1	1	
Hapur	48	52	56.5	5	2	3	..	13	14.1	7	
Hardwar	63	36	21.5	8	3	7	..	24	19.9	10	
Hathras	61	74	63.2	22	9	3	2	45	38.4	14	
Jaunpur	56	30	27.9	5	1	6	..	15	13.1	2	
Jhansi	115	133	60.3	32	50	22.7	22	
Kanpur	716	479	33.7	113	20	47	3	298	20.9	95	
Kasganj	34	18	27.6	4	4	6.1	..	
Khurja	40	42	54.7	2	6	2	..	14	18.2	3	
Koil-Aligarh	148	115	40.5	7	4	3	2	29	10.2	10	
Lucknow	485	379	40.7	19	12	22	..	129	13.8	44	
Mathura	108	138	66.6	14	5	9	..	46	22.2	12	
Mau-Nath Bhanjan	37	31	43.7	4	2	13	18.3	3	
Meerut	181	165	47.5	..	2	..	10	1	2	..	28	8.1	6	
Mirzapur-Vindhyachal	95	87	47.7	10	3	2	..	25	13.7	5	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—								Total	D.R.*	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Moradabad	163	130	41.6	9	6	9	..	36	11.5	14	
Muzaffarnagar	72	52	37.6	11	1	1	..	15	10.9	9	
Pilibhit	45	40	46.3	7	1	3	..	14	16.2	9	
Rampur	154	3	1.0	1	2	0.7	..	
Saharanpur	158	145	47.8	22	..	7	..	51	16.8	16	
Sambhal	64	60	48.9	18	3	3	..	25	20.4	8	
Shahjahanpur	99	80	42.1	9	1	..	1	17	8.9	2	
Sitapur	48	30	32.6	4	..	3	..	16	17.4	9	
TOTAL	5,248	4,139	41.0	..	5	..	477	142	264	8	1,603	15.9	533	
West Bengal			"N.R."											
Jammu & Kashmir			"N.R."											
Madhya Bharat			"N. R."											
Mysore														
Bangalore	936	462	25.7	8	48	106	..	246	13.7	..	
Mysore	285	183	46.9	7	3	5	..	51	13.1	..	
Kolar Gold Fields	170	115	35.2	2	5	6	1	36	11.0	..	
Davangere †														
TOTAL	1,391	760	28.4	17	56	117	1	333	12.4	..	
PEPSU														
Patiala City	108	66	31.8	9	1	3	..	29	14.0	14	
Malerkotla	34	29	44.4	6	7	10.7	4	
Bhatinda	38	32	43.8	1	1	1.4	..	
TOTAL	180	127	36.7	15	1	3	1	37	10.7	18	
Rajasthan			"N.R."											
Travancore-Cochin														
Alleppey	142	8	2.9	1	5	1.8	..	
Changanacherry†														
Ernakulam	69	24	18.1	1	7	5.1	1	
Kottayam†														
Mattanchery	83	17	10.7	8	5.0	..	
Nagercoil	91	55	31.4	1	0.6	..	
Quilon	73	28	19.9	1	8	5.7	..	
Trichur†														
Trivandrum City	213	58	14.2	4	3	34	8.3	3	
TOTAL	671	190	14.7	6	4	63	4.9	4	
Saurashtra														
Bhavnagar	153	107	36.4	10	3	5	..	32	10.9	..	
Choraji	46	24	27.1	1	6	6.8	..	
Gondal	40	40	52.0	2	1	2	..	12	15.6	..	
Jamnagar	119	27	11.8	8	1	2	..	14	6.1	6	
Junagadh†														
Morvi	42	20	24.8	1	2	..	4	5.0	..	
Porbandar	63	15	12.4	15	3	..	1	31	25.6	14	
Rajkot	161	101	32.6	23	2	35	11.3	12	
Surendranagar	41	12	15.2	4	1	1	..	7	8.9	3	
Veraval	45	14	16.2	3	3	3.5	..	
TOTAL	710	360	26.4	66	12	12	1	144	10.5	48	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Birth; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd September, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B	B.R.*	Deaths from :—											Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.							
ARREAR RETURNS																	
w/e 6-8-55																	
Madhya Pradesh																	
Achalpur	38	46	62.9	8	19	26.0	10				
Akola	101	261	134.4	7	7	4	5	48	24.7	16				
Amravati	98	128	67.9	5	..	3	1	34	18.0	11				
Bilaspur	40	49	63.7	5	..	2	..	19	24.7	10				
Burhanpur	77	71	47.9	6	6	18	12.2	..				
Chanda	43	44	53.2	3	2	..	3	18	21.8	8				
Chindwara	30	48	83.2	..	2	..	8	1	26	45.1	10				
Damoh†																	
Gondia†																	
Hinganghatt†																	
Jabalpur	231	132	29.7	12	2	11	..	44	9.9	..				
Khandwa	58	28	25.1	1	5	4.5	..				
Khangaoth†																	
Kamptee	35	24	35.7	2	18	26.7	..				
Murwara	38	8	10.9	2	2.7	..				
Nagpur	513	230	23.3	23	6	11	1	81	8.2	5				
Sagar†																	
Raipur†																	
Raigarh†																	
Wardha†																	
Yeotmal	40	45	58.5	6	3	..	1	19	24.7	5				
TOTAL	1342	1114	43.2	..	2	..	86	27	31	11	351	13.6	75				
West Bengal																	
w/e 27-8-1955.																	
Asansol†																	
Baidyabati	33	15	23.7	4	6.3	..				
Bally	65	4	3.2	1	1	..	3	2.4	..				
Bankura	50	5	5.2	2	5	5.2	..				
Bansberia†																	
Baranagar†																	
Basirhatt†																	
Berhampur	62	43	36.2	2	..	1	..	15	12.6	4				
Bhadreshwar	34	12	12.4	1	1	1.5	1				
Bhatpara	141	39	14.4	1	1	5	..	22	8.1	3				
Budge-Budge	32	5	8.1	1	3	1	..	7	11.4	..				
Burdwan	81	13	8.4	1	1	2	..	12	7.7	..				
Calcutta	2,931	1,451	25.8	5	52	62	127	3	610	10.9	178				
Champdani	40	12	15.6	2	2.6	..				
Cooch-Behar†																	
Darjeeling	37	14	19.7	1	..	1	..	8	11.3	..				
English-Bazar	35	31	46.2	3	4.5	..				
Garden Reach	121	13	5.6	5	13	5.6	4				
Halisahar	40	6	7.8	1	1.3	1				
Hooghly-Chinsurah	60	67	58.2	7	3	2	..	17	14.8	2				
Howrah	471	149	16.5	1	1	..	1	25	6	..	130	14.4	52				

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd September, 1955—*concl'd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>cont'd.</i>													
Jalpaiguri†													
Kamarhati†													
Kanchrapara	71	23	16.9	1	2	1.5	..
Krishnagar	55	164	155.1	1	4	2	1	16	15.2	6
Midnapore	44	16	19.0	1	..	2	1	6	7.1	..
Nabadwip	67	47	36.6	3	1	7	5.4	1
Naihati	61	6	5.1	2	..	5	4.3	1
North Barrackpore . .	36	11	15.9	1	..	3	4.3	..
Panihati	62	3	2.5	1	0.8	..
Shantipur	48	30	32.6	1	..	7	7.6	2
Serampore	82	36	22.9	1	5	2	..	20	12.7	8
Siliguri	42	15	18.6	2	2	2.5	..
South Dum Dum . . .	79	212	139.5	3	2.0	..
South Suburban . . .	120	62	26.9	1	4	2	..	9	3.9	1
Titagarh	76	32	21.9	4	13	1	4	..	26	17.8	7
TOTAL	5,076	2,536	26.0	12	1	..	94	112	182	5	960	9.8	271

Assam

w/e 20-8-55

Dibrugarh	44	1	1.2
-------------------	----	---	-----	----	----	----	----	----	----	----	----	----	----

Assam

w/e 27-8-55

Shillong†													
Gauhati	50	8	8.3	6	16	7	40	41.6	5
Dibrugarh	44	1	1.2	1	1.2	..
Silchar	42	20	24.8	6	2	3	1	17	21.0	2
TOTAL	136	29	11.1	6	22	9	3	1	58	22.2	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevors ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 3rd September, 1955, relate to 200 towns with an estimated population of 26,501 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 67% of the total number of towns representing 68% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 19,077 and 7,001 representing birth and death rates of 37.4 and 13.7 per thousand of population respectively.

(a) *States (Part A and Part C).*—The data here relate to 179 towns with an estimated population of 23,549 thousands. Information about Ajmer, Madya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 71% of the total number of towns representing 72% of the

total population is covered. The number of births and deaths recorded in these towns were 17,640 and 6,424 representing birth rates and death rates of 39.0 and 14.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 21 towns with an estimated population of 2,952 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 44% of the total number of towns representing 46% of the total population is covered. The number of births and deaths recorded in these towns were 1,437 and 577 representing birth and death rates of 25.3 and 10.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 3-9-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	42.7	16.2	38.4	15.6	†	†
Bihar . . .	18.9	8.8	19.5	9.1	16.7	7.5
Bombay . . .	37.5	14.2	34.2	14.7	37.1	18.
Delhi . . .	40.8	9.3	41.3	10.9	46.1	13.3
Madras . . .	39.7	15.9	36.2	18.2	†	†
Orissa . . .	53.1	18.9	54.7	23.2	53.4	24.8
Punjab (I) . .	50.1	11.8	50.2	10.3	41.6	12.3
Uttar Pradesh .	41.0	15.9	42.6	18.1	42.4	20.3
India (only States Parts A & C).	39.0	14.2	38.2	15.8	40.0	18.8

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 5th September, 1955. }

K. MITRA,
for Registrar General, India.

